

Knitted Wire Gaskets

ALL-METAL COMPRESSED WIRE MESH GASKETS 1



Description Knitex all metal EMI shielding compressed gaskets are constructed from Knitted wire mesh to produce a seamless gasket normally having a rectangular or round cross section. They are made by die-compressing a given amount of mesh and consequently it is possible to produce the gaskets in a wide range of sizes and densities. The most common shape is in a ring but gaskets are also formed in a rectangle and with special shapes incorporating bolt location holes, mounting recesses, corner radii and other special features as required. Knitex produces compressed metal gaskets in the widest range of materials available on the market including Monel, Tin Plated Copper Clad Steel (SN-FE-CU), Tinned Copper, Stainless Steel, Brass, Silver Clad Copper, Aluminium, Copper and others such as Nickel Plated Copper and Phosphor Bronze to special order.

Application Compressed gaskets are used to shield applications in microwave ovens, CCTV, wave-guides, connectors and shaft seals. Because of their all-metal construction they are also extremely good heat conductors, resilient to high temperatures and shock absorption and are therefore suitable in severe environmental conditions. They are not however recommended for situations where joints are frequently opened or if an environmental seal is required

Materials of Construction - Wires Knitex EMI shielding materials can be manufactured from any metal that can be drawn into a filament. However the majority of shielding requirements can be satisfied by using the materials listed in the table below.

| | | |
|---|--------|----------|
| Monel (BS 3075-NA13) | 0.11mm | MO |
| Tin Plated Copper Clad Steel (SN-FE-CU) | 0.11mm | SN-FE-CU |
| Stainless Steel (AISI 304) | 0.11mm | SS |
| Tinned Copper (BS 4109 with 0.7-1 micron tin plate) | 0.11mm | TC |
| Silver Clad Copper (BS 4190 0.7-1 micron silver cladding) | 0.12mm | SCC |
| Nickel Plated Copper | 0.15mm | NI-CU |
| Aluminium (ALMG5) | 0.14mm | AL |
| Copper (BS 4109) | 0.12mm | CO |

Tolerances on application.

Other materials are available to special order such as Phosphor Bronze and Brass.

The information above is supplied in good faith and believed to be correct. This information is supplied upon the condition that persons receiving this will make their own determination as to its suitability for their purposes prior to use. KnitMesh makes no representations or warranties, either expressed or implied with respect to the information or the product to which this information refers.

Knitex

DATA SHEET

Knitted Wire Gaskets

ALL-METAL COMPRESSED WIRE MESH GASKETS 2

Shielding Effectiveness Knitex compressed gaskets in optimum conditions will provide excellent shielding effectiveness, typical figures are shown below:

| MATERIAL | H-FIELD 100kHz | E-FIELD 10MHz |
|---|----------------|---------------|
| Monel | 60 | 120 |
| Tin-plated copper clad steel (SN-FE-CU) | 70 | 130 |

Tolerances on application.

It should be noted that these figures can only be a guide as each application is unique and the shielding effectiveness of the gasket should be considered as part of the system as a whole.

Additional Information Samples are available generally free of charge (please contact the sales department). Delivery lead times are quantity dependent but emergency deliveries can be organised from stock or within a few days.

Ordering Knitex has a vast range of existing dies that will suit many application thus avoiding tooling charges. However, where a suitable size does not already exist, tooling charges are not expensive and compressed gaskets can be very cost-effective even if quite low quantities are required.

When ordering, please specify the O.D., I.D., thickness and material. For more complex shapes provide a drawing detailing all dimensions including location and size of holes and corner radii if required.

Please contact the sales department for more information.

The information above is supplied in good faith and believed to be correct. This information is supplied upon the condition that persons receiving this will make their own determination as to its suitability for their purposes prior to use. KnitMesh makes no representations or warranties, either expressed or implied with respect to the information or the product to which this information refers.



KnitMesh Ltd, Specials & Automotive Division, Greenfield, Holywell, Flintshire, North Wales, CH8 9DP
Telephone: +44 (0) 1352 712058 Facsimile: +44 (0) 1352 714909 E-mail: specials@knitmesh.com Website: www.knitmesh.com

The information above is supplied in good faith and believed to be correct. This information is supplied upon the condition that persons receiving this will make their own determination as to its suitability for their purposes prior to use. KnitMesh makes no representations or warranties, either expressed or implied with respect to the information or the product to which this information refers.

The logo for Knitex, featuring the word "Knitex" in a large, bold, red, sans-serif font with a white outline, set against a dark background with white lightning bolts.